
报告公示稿

报告公示稿

报告公示稿

报告公示稿

报告公示稿

.....	1
.....	38
.....	83
.....	92
.....	137
.....	140
.....	141

1
2
3
4
5
7
8
9
10
11
12

1
2
3
4
5
6

	1000			27		
	2508-320582-89-01-995399					
			18752537533			
	2					
	120	34	5.86	31	58	49.51
	C2922		2929255			
	C3029		302			
	☐ ☐ ☒ ☐		☒ ☐ ☐ ☐			
/			/	20252464		
	18000		900			
%	5%		12			
	☒ ☐		m ²			

2021-2035

	1	2011-2030	2018
	1		
		2020	215
		2030	265
		2020	
	281.00	2030	319.45
		“	”
	—		
	“	”	
		“	”
	“	”	
		“	”
		“	”
	2		
		2	
	2011-2030	2018	
		4-1	
	2	2016-2030	
	1		
		2016-2030	

40.48

1.2 m³/d

3 m³/d

2.4 m³/d

0.6 m³/d

3

35kV

4

“ ”

2 /

5

300t/h

3

2

2016-2030

4-1

3

2022-2035

1

2022-2035

0



[illegible]

2023 10

7

2023 7

1-1

1-1

1

“ ” “ ” “ ”

2020-2030

2020-2030

2021 36

” ...{ ")5 2i! "a &’ B g8 μ ‡ C1g Pt

2

m m ≈

po m

		“ ”	
	4		
	5		VOCs
2022-2035	5	2021-2035	2021-2035
		4-2	
6		2021-2035	

					2021-2035
			2025	5	
	1				2035
		38.4289			34.7435
			0.2568		
	6.2145				2020
		1.2000			
	2				
	3				
	4				
				2	
		2021-2035			
					5
				2021-2035	

	1				
	1				
	2021-2035				
	1.71km				
	2020 1				
	2021 102				
	2022 145				
	1.63km				
	1-2 1-3 1-2				
					km
					120°36'8.80"E 31°59'23.48"N
					500 500
					500
					100
					4.43 1.71
					3500 1500
					100
1-3					
					km
					12329.4462 1.63

		8	149.3206	2.87	
		5.5 500	135.6696	5.52	

2

1.71km

5.52km

1.63km

2.87km

2

2

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

m

W

“ ”
2027 28 /
2035 26 /

2024 2024
15 36 63.9%
25 ~ 100%
4 7 ~ 100%
31 16 15 p
51.6% 3.2 13
ý 10 17 5
“ ” “ ”
100%



4

2025

2022-

2035

“

§

1-4

1-4

1

&

			2	
			3	
			4	
			1	
			2	
			3	
			1	
			“ ”	
			2	
			3 “ ”	
			1	
			2	
			3	
			4	

	1	“ ”		
	2	34.5		
			1	4-
			3	
			2	
	3	38.06		3
		“ ”	4	
			5	
	4	34.77		
	5	“ ”		
	1			
	2			
	3			
		5.11.5-1		

1

2

“
/
”

m

2019 123

“

”

2019 123

3

2

2011-2030

2018

2016-2030

2024

2013

2013

4

2023

2023

2

1-5

1-5

1.

2.

3.

c |

4.

2015—2030

2017—2035

5

5.

1.

1

2.

2

1.

1

m

2

2.

m

F



	1		
	2		
	3		
	1		
	2		

2023

477

”

-

	4		
	5		
	1	1	
	2	2	
	3	3	
	1		
	2	2023 9 7	
	3		
	1		
	2	" 1	
	3	3	
	4		
		2023	

	2022		
	1	2015—2030 2017— 2035	
	2		
	3		
	4		
	5		

	6			
	7	“ ” 332		
	8			
	9		2021 “ ” “ ” 2025 2025 4	
	10			
	11			
	12			
			2022	
	1	2015-2030 2017- 2035		

	2			
	3			
	4			
	5			


16			
17			
18			
19			
20			
		2022	2022
8	1-8		
			900

1-9

VOCs

VOCs

0.3m/s



			0.5%	
			5	
			VOCs	
			“ ”	
			VOCs	“ ”
			VOCs	
				800mg/g
		800mg/g		RTO
		BET	650mg/g	
			1100m 2/g	

3 HJ 1207-2021
HJ848-2017
2022

GB 33372-2020	
VOCs	

<

>

2021 2

11

GB33372-2020

1,2-1,1,1-1,1,2-

GB30982

GB19340

-

£ m "



[illegible]

	12	2022	70	“ ”
		2025	28	
		2025	28	
		“		”

	C2922	C3029
		2023

2.1

2021 07

2021

9

2022 3 14

2022 82 0034

5400

50

2023 10 23

2023 12

67192.35

2025 9

5400

2000

5400

2000


1000

27

..

./





2.2

1000

27

2

18000

67192.35

173117.08

1000

2025

2464

”

2023

1054

À

S

Q

F

ó

0

, m

220

300

3

8h

7200h

2.2.1



1000

/

27 /

--	--

--	--

--	--

报告公示稿

报告公示稿

报告公示稿

--	--

2.2.3

--	--

--	--

--	--

--	--


--	--

		2.2.4			
		2-5			
		2-5			
		11211.12m ² , 27	27	11211.12m ² 27	“
					”
		/	19038.25m ² 1000	19038.25m ² 1000	2023 1054
		7631.36m ² 4	/	7631.36m ² 4	
		17067.76m ² 4	/	17067.76m ² 4	
		1		1	

			400m³/h		400m³/h	
					1	
					200m³/h	
			/	DA012 18m	DA012 18m	
			/	DA013 28.7m	DA013 28.7m	
			/	DA014 18m	DA014 18m	
			/	DA015 18m	DA015 18m	
			DA006 28.7m	/	DA006 28.7m	
			1 +2 +2 T +2 RTO	/	1 +2 +2 +2 RTO	


				DA001 30m DA002 30m		DA001 30m DA002 30m	
				DA008 28.7m	/	DA008 28.7m	
				2 + +RTO DA009 30m DA0010 30m	/	2 + +RTO DA009 30m DA0010 30m	
				DA003 27m DA004 30m DA005 30m		DA003 27m DA004 30m DA005 30m	

			DA007 DA011 18m	/	DA007 DA011 18m	
						/
			267m ²		267m ²	/
			599.76m ²		599.76m ²	/
			432m ³		432m ³	/
			425.2m ³		425.2m ³	/
			2.2.5			
			“ ”			
			2-1			
			2-1			



	50000			270000
	30000			0.383
	50000			2.866
	60000			3.132
	5000	/		
VAE	15000			
	200			
	59806.381			
	270006.381			270006.381

2.2

	2.3 2.3.1  2-3 12 , 1 2 3 4 2.3.2
--	--

--	--

--	--

--	--

--	--

1

W1

W/

3 O

#

■

m

4

S8

2.3.3

2-8

2-8

G1-1

G1-2

G2

G3

G4

G5

G6

G7

G8

G9

W1

COD SS

W2

COD SS

S1

S2

S3


S4

S5

S6

S7

f



2.4

2.4.1

20217

2

20219

2022314

2022820034

20231027

20231267192.35

20259

5400

2000

2-9

2-9


	5400 50	202282 00342022.3.14		2023.10.27
5400	5400			
2000	2000			/

2-10

				h	
		5400	/	5400	/
				7200	
		50	/	50	/
				7200	

		5400 /	5400 /	7200	
		2000 /	2000 /	7200	

2-11



2-6

2

	石英砂 河砂 水泥 外加剂 ↓ ↓ ↓ ↓ ▲ ▲ ▲ ▲ G、N G、N			
2.4.3	1	2-7	[a]	
		2-12		
	2-12			
DA001			[a]	1
DA002			SO ₂	+2
			NO _x	+2
				RTO

DA006				1	
DA003					
DA004 DA005				2	
DA007			SO ₂	/	DA007
			NO _x		
2					
/					
2-8					

生产废水、初期雨水



隔油、调节



2-8

3

4

àP •@' @ ä
2-13

2-13

/

1

ú

†

Ç

IJ ,

3				HW08	900-249-08	0.3	
4				HW08	900-249-08	8.12	
5				HW08	900-210-08	1	
6				HW49	900-041-49	31.12	
7				HW08	900-249-08	9.62	
8				/	/		

267m²

“ ”

GB18597-2023

599.76m²

2.4.4

2024

HY240311042-101 HY2403111042-2 m

				46 9	17	0.30			
			[a]	17 38 4	ND 2* 10 ⁻⁵	3.5* 10 ⁻⁷		0.0 00 3	0.00 000 9
				17 71 1	ND 3	0.05 3		20 0	/
					6.75	0.12		20 0	/
				20 17 0	1.3	0.02 5		20	1
				19 37 5	ND 17	0.33		20	0.11
			[a]	19 60 6	ND 2* 10 ⁻⁵	3.9* 10 ⁻⁷		0.0 00 3	0.00 000 9
				19 60 6	ND 3	0.05 9		20 0	/
				19 60 6	8	0.16		20 0	/
2024 .03.2 3	DA 002			80 68	1.2	9.8* 10 ⁻³	DB32/4149- 2021	10	/
2024 .03.2 3	DA 005			68 40	1.2	8.4* 10 ⁻³		10	/
2024 .03.2 3	DA 006			61 0	1.2	7.5× 10 ⁻³	DB32/4041-2021	20	1
2024 .05.1 0	DA 007 *			72 93	ND 3	0.02 1	DB32/4385-2022	35	/

[illegible]

2	2-16							
				dB		dB A		
				A				
	2024.03.23	1	GB12348-2008	≤ 65	≤ 55	62	53	
		1				61	52	
		1				58	50	
		1				56	48	
	GB12348-2008 3							
	2.4.5							
	89%~90%							
2-17								
2-17								
			t/a		t/a *			
			2.492		0.1231			
			0.964		0.9468			
			2.002		1.116			
	[a]		0.000002		/			
			0.904		/			
			2.292		0.1894			
			0.008		/			
			1.3					
	[a]		0.000001		/			
			0.476		/			
			1.207		/			
			8488		0			
	COD		3.379		0			

		SS	1.690	0
			0.296	0
			0.0338	0
			0.507	0
			0	0
			0	0
			0	0
				= * /
	2.4.6			
	100			
	2.4.7			
	1			

432m^3

2

3

“ ”

1

2


3

2.4.8

2-18

2-18

[illegible]



16		
17	5	2022 3 2022 4 2023 10 23 5

2.4.8

5400

2000

“ ”

1

, m m

2024

DA003

2 “ ”

m

£ m " Δ " 3 ? #

O ‘

’ E



3.1.1

1996 133

GB3095-2012
2024

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

3-1 2024

		$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	%	
SO ₂		8	60	14	
	98	14	150	9	
NO ₂		26	40	65	
	98	69	80	86	
PM ₁₀		48	70	69	
	95	111	150	74	
PM _{2.5}		30	35	86	
	95	83	75	111	
CO mg/m ³	95	1100	4000	28	
O ₃	8h 90	156	160	97.5	

PM_{2.5}

2024 59

3-3								
			pH	COD _{Cr} mg/L	BOD ₅ mg/L	mg/L	mg/L	mg/L
			7.5	6.1	0.9	0.06	1.61	0.005
			8.4	13.6	2.4	0.76	4.82	0.02
			7.5~8.4	10.0	1.5	0.28	2.7	0.01
			0	0	0	0	/	0
			/	/	/	/	/	/
3-3								
W1			2023.11.21~2023.11.23					
500m			W2					
500m			3-4					
3-4								
			pH	COD _{Cr} mg/L	SS mg/L	mg/L	mg/L	mg/L
	500m W1		7.5	10	35	0.317	0.11	0.03
			7.9	14	38	0.416	0.16	0.04
		III	6-9	20	/	1.0	0.2	0.05
			0.45	0.7	/	0.416	0.8	0.8
			0	0	0	0	0	0
	500m		7.4	15	32	0.246	0.1	0.03
			7.7	18	36	0.386	0.13	0.04
		III	6-9	20	/	1.0	0.2	0.05
			0.35	0.9	/	0.386	0.65	0.8

3.2

50m 500m 3.2-1 6

500

3-5						
	UTM					
	X	Y				m
	55800 5	13406 413				SW 380

3.3

1

GB31572-2015

DB32/4041-2021

DB32/4149-2021

DB32/4149-2021

DB32/4041-2021

3-6



3-6						
		mg/Nm³	kg/h			
					mg/Nm³)	
DA012 DA015		60	3		4.0	DB32/4041-2021
					1h	
					6	
					20	
DA013 DA014		10	/		0.5	DB32/4149-2021
					5	
DA012 DB32/4041-2021				DA0012		
3-7						
		ug/m³)				
TSP ^a		500				
PM ₁₀ ^b		80				
a	(TSP	)	15min			
		HJ633	AQI 200~300			
	PM ₁₀	PM _{2.5}	TSP	200 μg/m³		
b	(PM ₁₀	)	1h PM ₁₀			
		PM ₁₀				
2						
GB/T 19923-						
2024						
2018 77						
GB18918-2002 1 A 3-						
8	3-9					

3-8

pH	/	6.0~9.0
		20
	NTU	5
BOD ₅	mg/L	10
COD _{Cr}	mg/L	50
	mg/L	5
	mg/L	15
	mg/L	0.5
	mg/L	0.5
	mg/L	1.0
CaCO ₃	mg/L	350
CaCO ₃	mg/L	450
	mg/L	1000
	mg/L	250
	mg/L	250
	mg/L	0.3
	mg/L	0.1
	mg/L	30

3-9

pH	6~9
COD	500
SS	400
/	45
mg/L	8

*

12



≤ 12

			0.476	0.156	0	0	0	0	0.632	0
			1.3	0.091	1.440	0	1.440	0	2.831	+1.440
		[a]	1E-06	5.06E-07	0	0	0	0	1.5055E-06	0
		VOCs	1.207	0.509	0.427	0	0.427	0	2.143	+0.427
			8448	0	1260	0	1260	0	9708	+1260
		COD	3.379	0	0.0504	0	0.0504	0	3.4294	+0.0504
		SS	1.690	0	0.0504	0	0.0504	0	1.7404	+0.0504
			0.296	0	0	0	0	0	0.296	0
			0.0338	0	0	0	0	0	0.0338	0
			0.507	0	0	0	0	0	0.507	0
			0.507	0	0	0	0	0	0.507	0
			0	0	0	0	0	0	0	0
			0	0	5.8	5.8	0	0	0	0
			0	0	67.21	67.21	0	0	0	0
							VOCs		VOCs	

	4.1
	4.1.1
	4.1.2
	4.1.3

4.1.4

4.2	
4.2.1	
1	
	G1
G2	G3
G5	G6
G8	G9
	G1
	G2
	500
500	HDPE
	TPO
2017 7	85%-85.7%
	18.97-22.27mg/m ³
6483m ³ /h	
0.144kg/h	4800h
85%	500
0.957t/a	1000
	HDPE
	HDPE
	1.914t/a
“	”
90%	DA012
	90%
	G3
	500
	HDPE
	500
	TPO
	2017 7
	85%-85.7%
21.83-27.35mg/m ³	6501m ³ /h
	0.178kg/h
500	4800h
1000	HDPE
	HDPE
2.01t/a	1.005t/a
	“
	”
	DA012



		t/a		(t/a)	(t/a)
G1	G2	1.914	90%	1.723	0.191
G3		2.01	90%	1.809	0.201
G4	43- P				

		G7 G8 G9		3.5148	99%	3.480	0.035

4-3


			t/a	kg/h	mg/m ³		%	m ³ /h	t/a	kg/h	mg/m ³	mg/m ³	kg/h		
			3.532	0.491	61.319		90%	8000	0.353	0.049	6.132	60	3	H=18m T=25 D=0.55m	DA012
			43.263	6.009	400.583		99%	15000	0.433	0.060	4.006	10	/	H=28.7m T=25 D=0.6m	DA013
			99.317	13.794	689.701		99%	20000	0.993	0.138	6.897	10	/	H=18m T=25 D=0.7m	DA014
			3.480	0.483	80.556		90%	6000	0.348	0.048	8.056	60	3	H=18m T=25 D=0.4m	DA015

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

4-4

t/a	kg/h	m ²	m
0.392	0.054	19038.25	5
0.437	0.23	180	28

1				2021	DB32/4041- DB32/4149- 2021	4	0.392
2						0.5	0.437
3						0.5	1.003
						4	0.035
						0.427	
						1.440	
4-7							
			/ t/a				
1			1.128				
2			2.866				
2							
0%							
0.1 / 30min							
4-8							
			/ mg/m³	/ kg/h	/h	/	
DA012			61.319	0.491	0.5	0.1	
DA013			400.583	6.009			
DA014			689.701	13.794			
DA015			80.556	0.483			



4-9				
1		mm	2000*2000*2900	2000*1500*1100
2		m ²	9.72	1.25
3		m ² /g	≥ 750	≥ 750
4		/		
5		mg/g	≥ 800	≥ 800
6		kg/m ³	500	500
7		t/	3.89	0.5
3.179t/a				
7.78t				
3.132t/a				
7.78				
2021 218				
T=m×s÷(c×10 ⁻⁶ ×Q×t)				
T—				
m—		kg		
s—		%		
c—		VOCs	mg/m ³	
Q—		m ³ /h		
t—		h/d		
4-10				
			VOCs	

2023 9 16 17 DA006

89%~90%

DB32/4149-2021

2

“ ”

18m DA014

HJ1116-2020

/

DB32/4149-2021

30

87

4-11

4-11

	30 kwh	0.8 /kwh	24
	62	7000 /t	43
	67	3000 /t	20
	/	/	87

4

GB/T16758

GB 37822—2019

VOCs

0.3m/s

5

			PM10		
			GBT39499-2020	“	
				”	
				100	
			6		
			300		
			7		
				HJ819-2017	
				HJ 1207-2021	
				HJ848-2017	
			4-14		
			DA012	1	1 /
			DA013	1	1 /
			DA014	1	1 /
			DA015	1	1 /
				4	1 /
				1	1 /
				3	1 /
					DB32/4041-2021
			1		1 /

4.2.2

1

W1

1

200t/h

5

(GBT50102-2014)

$$Q_e = K_{ZF} \cdot \Delta t \cdot Q$$

$$Q_w = \frac{P_w \cdot Q}{100}$$



Q_e ——

KZF

0.0015

Δt

5

Q_w ——

P_w

0.1

Q_b ——

N

5

Q_m ——

Q ——

200t/h

1440000t/a

200t/h,7200h/a

Q_e 10800t/a 1.5t/h

Q_w 1440t/a 0.2t/h

Q_b 1260t/a 0.175t/h

Q_m 13500t/a

COD 40mg/L SS 40mg/L

(W2)

2t/

3

6t/a

COD 500mg/L

SS 200mg/L

60mg/L

4-15

4-15

--	--	--	--	--	--	--	--

2

1260t/a 4.2t/d 6t/a

0.02t/d

80t/d 21939.1t/a

73t/d

73t/d

4-2

空压机排水



4-2


		pH	COD	SS	
	mg/L	7~8	1500	600	20
		/	70%	90%	90%
	mg/L	7~8	450	60	2
	mg/L	7~8	450	60	2
		/	90%	80%	60%
	mg/L	7~8	45	12	0.8
	mg/L	7~8	45	12	0.8
		/	/	/	/
	mg/L	7~8	45	12	0.8
	/	6.5~8.5	50	/	1

4-18

			mg /m ³		mg /m ³	
2023 .9.18			42	GB/T 19923-2024	50	
			12		/	
			0.13		1.0	
2023 .9.19			39		50	
			12		/	
			0.15		1.0	

1		97309.2	22595.1	74720.1

3
J
6.0 m³/d
3.0 m³/d 2011 12
2012 6 204
2.5 t/d
A2/



				1	COD	SS	1	/
5								
4-21 4-22								
4-23 4-24								
4-21								
1		COD	SS		/	/	DW001	
2		COD	SS		/	+	/	/
4-22								
		UTM		/	t/a			mg/L
1	DW001	557973	13407613	1260		/		pH
								6-9
								COD
								≤ 30
								SS
								≤ 10
								≤1.5
								3 *
								≤0.3
								≤10
								≤1

*

12

≤12

4-23

				/ mg/L
1	DW001	pH		6 9
		COD		≤500
		SS		≤400
				≤25
				≤1
				≤70
				≤100

4-24

			/ mg/L	/ kg/d	/ t/a
1	DW001	COD	40	0.015	0.0504
2		SS	40	0.015	0.0504
		COD			0.0504
		SS			0.0504

4.2.3

1

75-

85dB A

GB12348-2008 3

4-25

		180											
		2	75			371	323	1	40	43		25	18
		130											
		2	75			401	316	1	40	43		25	18
		4	75			428	309	1	30	45		25	20
		2	80			421	311	1	35	49		25	20
		2	75			345	339	1	5	61		25	36
		1	85			380	298	1	50	49		25	24
		2	85			249	320	1	20	59		25	34
		3	85			260	317	1	30	55		25	30
		3	85			269	315	1	30	55		25	30
		1	75			255	358	1	15	51		25	26

1	75	266	355	1	25	47	25	22
4	75	279	352	1	35	44	25	19
4	75	290	349	1	15	51	25	26
2	80	264	380	1	15	56	25	31
1	75	272	377	1	15	51	25	26
2	85	285	373	1	15	61	25	36
6	75	303	367	-l	-l	γ "	l	

		X	Y	Z	/dB(A)		
1		4	279	415	1	75	
2		10	275	384	1	75	00 00- 24 00

A_{div}_____

1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						
90						
91						
92						
93						
94						
95						
96						
97						
98						
99						
100						
101						
102						
103						
104						
105						
106						
107						
108						
109						
110						
111						
112						
113						
114						
115						
116						
117						
118						
119						
120						
121						
122						

					t/a			
1					0.3	√	/	GB34330-2017
2					5	√	/	
3					0.1	√	/	
4					67	√	/	
5					1	√	/	
6					0.2	√	/	
7					0.01	√	/	
					2017			
43					2025			
4-32								
					t/a			
1					0.1	HW49	900-041-49	T
2					67	HW49	900-039-49	T

3					0.1	HW08	900-249-08	T
4					0.01	HW08	900-210-08	T
5					0.3	S59	900-009-S59	/
6					5	S59	900-099-S59	/
7					0.5	S59	900-099-S59	/

4-33

4-33

					t/a			
1					5.7	HW49	900-041-49	T
2					39	HW08	900-249-08	T
3					60	HW08	900-249-08	T
4					6.7	HW08	900-210-08	T

5						10	HW13	900-015-13	T
6						1.106	HW49	900-041-49	T
7						0.2	HW08	900-249-08	T
8						0.02	HW08	900-210-08	T
9						67	HW49	900-039-49	T
10						15.5	SW59	900-099-S59	/
11						1.7	SW59	900-009-S59	
12						60	SW59	900-099-S59	
13						0.3	SW59	900-009-S59	
14						33	SW64	900-099-S64	
599.76m ²						267m ²			
4-34									
									t

10			/	/	/	599.76	/	/	/

2

a

599.76m²

—

GB15262.2-1995

1

2

3

4

5

5


6

>

2024 16

<

^



4.2.5

1

7						
8						
9						GB18597
10						
11						
12						Mb ≥ 1.5m K ≤ 10 ⁻⁷ cm/s
13						
14						
2 A. 4.2.6 1.63km 4.2.7 1 HJ169-2018 Q						

Q
Q

$$Q = \frac{q_1}{Q_1} + \frac{q_2}{Q_2} + ... \frac{q_n}{Q_n}$$


q₁ q₂ ... q_n——
Q₁ Q₂.....Q_n ——

t
t

4-36

		t	t	q/Q
1		0.2	2500	0.00008
2		17	50	0.34
q/Q				0.34008

[1]

/					
4-2					
					
4-2					
4-38					
4-38					
				/	/
			/		
			/		
				/	/
				/	/

				/	/
			/		
				/	/
			/		
			/	/	
				/	/
			/	/	

4-39

4-39

VAE

VAE

TM

;

a.

b.

c.

a.

b.

GB18597-2023

432m³

a.

b.

2

2015 4

DB32/T3795-2020

--	--

	/			
	/			
	DA012			DB32/4041-2021
	DA013			DB32/4149-2021
	DA014			DB32/4149-2021
	DA015			DB32/4041-2021
				DB32/4041-2021
				DB32/4149-2021
				DB32/4041-2021

DB32/4149-
2021

COD SS

GB/T 19923-
2024

COD SS /

GB12348-
2008 3

*f*œ

$\frac{1}{2}$ w

“ ”

l 0-2lw %F

		t/a	t/a	t/a	t/a	t/a	t/a	t/a
		6.736	5.172		2.866	/	9.602	+2.866
		2.317	1.38		0	/	2.317	0
		4.419	3.792		2.866	/	7.285	+2.866
	SO ₂	1.324	0.964		0	/	1.324	0
	NO _x	3.019	2.002		0	/	3.019	0
	[a]	6.0375E-06	3.00E-06		0	/	6.0375E-06	0
		6.555	3.499		1.128	/	7.683	+1.128
		0.008	0.008		0	/	0.008	0
		8448	8448		1260	/	9708	0
	COD	3.379	3.379		0.0504	/	3.4294	0
	SS	1.69	1.69		0.0504	/	1.7404	0
		0.296	0.296		0	/	0.296	0
		0.0338	0.0338		0	/	0.0338	0
		0.507	0.507		0	/	0.507	0
		0.507	0.507		0	/	0.507	0

	/	5.5	5.5		5.8	/	11.3	+5.8
	/	60.1	60.1		67.21	/	127.31	+67.21

= + + - = -